

SonicWALL – NUOVI hw NSA 220/W and 250M/W Series

una vera sorpresa



SONICWALL®

Why NGFW?

“Something came in over port 80. Do you know what it is?”

“What is your social media presence/exposure?”

“What are you allowing outbound from your network?

... over SSL?

“What portion of your bandwidth is consumed by video?”

“Is there P2P traffic on your network?”

Growing Requirements for Branch Firewalls

SonicWALL NSA 240



Introduced in 2008

- A new product category & a huge success
- High Performance DPI in a small package

But ...

- Connection Speeds Continue to Grow
 - FiOS Deployments, Metro Ethernet
- PCI Compliance - Dual Band Wireless Requirement
- Full Gigabit Connectivity
- More advanced features necessitate faster platforms
- Need for Fiber & WAN Failover Options

Introducing the NSA 220 Series

NGFW for the SMB & Distributed Enterprise

Technical Specifications

- Dual Core 500 Mhz
- 512 MB Ram
- 32MB Flash
- 7 GbE Interfaces
- 802.11 a/b/g/n Dual Band Wireless
- SDHC Slot (*Future use*)



Introducing the NSA 250M Series

NGFW for the SMB & Distributed Enterprise

Technical Specifications

- Dual Core 700 Mhz
- 512 MB Ram
- 32MB Flash
- 5 GbE Interfaces
- Module Interface
- 802.11 a/b/g/n Dual Band Wireless
- SDHC Slot (*Future use*)



SonicWALL Interface Modules

- WAN Connectivity/Failover
- Equipment Consolidation
- Fiber Connectivity for SMB



2-Port SFP Module



ADSL Module (Annex A)



1-Port T-1 / E-1 Module



2-Port GbE LAN Bypass



ADSL Module (Annex B)



NSA 220 & 250: SonicOS 5.8.1.1

Threat Prevention Features

- Application Control
- GAV with Cloud GAV
- Intrusion Prevention
- Content Filtering
- SSL Decryption (DPI-SSL)
- IPFIX/Netflow Reporting

Networking Features

- IPsec VPN, SSL VPN
- Virtual Assist
- Wan Acceleration (WXA) support
- Stateful High Availability
- WAN/ISP Failover
- Inbound Load Balancing
- Single Sign On with LDAP/AD

